

HISTORY OF IMMUNIZATIONS & TEST

(indicate: month/day/year)

	1	2	3	4	5
DTaP/DTP/DT/Td					

(* if 4th dose of DTaP/DTP/DT/Td is given after the 4th birthday, a 5th dose is not needed.)

	1	2	3	4	5
Polio					

(* if 3rd dose of Polio is given after the 4th birthday, additional doses are not needed.)

	1	2	3	4	5
Hib					

(*if 3 or more doses are given, the last one must be given after 12 months of age.)

(**if only 1 or 2 doses are given, the last one must be given after 15 months of age.)

	1	2	3
Hepatitis B			

	1	2
Measles		

	1	2
Mumps		

	1	2
Rubella		

	1	2
Intradermal TB Test **	Date:	Results:

** ATB skin test is not required for entry into a child care or school, but may be recorded above, if placed.

Note: To be considered adequately immunized a child 24 months through 59 months of age should have received 4 doses of DTaP/DTP/DT/Td, 3 doses of polio, 1 dose of measles, mumps and rubella (MMR) given after the first birthday and 3 doses of Hib* vaccine. Any child 60 months of age and older should receive a 5th dose of DTaP/DTP/DT/Td, a 4th dose of polio, a 2nd dose of measles (usually given as an MMR) and 3 doses of hepatitis B vaccine.

Name of Physician Completing Form: _____ Phone Number: _____
(Please Print)

Physician's Signature: _____

ADDITIONAL NOTES AND INSTRUCTIONS

